



Hugo Tillquist AB, Box 1120, 164 22 Kista, Sweden  
 Finlandsgatan 16, Kista  
 Tel +46 8 594 632 00  
 www.tillquist.com  
 info@tillquist.com

Lithium Polymer cell List. please get in contact with us for more detaled technical information.

Model	Nominal voltage(V)	Capacity (mAh)	Thickness (mm) ( $\pm 0.2$ )	Width (mm) ( $\pm 0.5$ )	Length (mm) ( $\pm 1.0$ )	Certification
AS10100	3.7	58	Diameter: 10		10	CQC
AS08310	3.7	130	Diameter: 8.0		31	IEC62133, UN38.3
AS17450	3.7	1100	Diameter: 17		45	IEC62133(CB), UN38.3
AS10500	3.7	390	Diameter: 10		50	IEC62133(CB), UN38.3
AS102040	3.7	700	10	20	40	UL1642,UN38.3
AS102231	3.7	600	10	22	31	UL1642
AS103035	3.7	1000	10	30	35	UL1642
AS105073	3.7	5000	10	50	73	UL1642
AS112560	3.7	1800	11	25	60	UL1642
AS125099	3.7	3750	12	50	99	UL1642
AS271420	3.7	20	2.7	14	20	UL1642
AS301320	3.7	55	3.0	13	20	UL1642
AS302025	3.7	100	3.0	20	25	UL1642,KC
AS302323	3.7	110	3.0	23	23	UL1642
AS302530	3.7	180	3.0	25	30	KC
AS3062173	3.7	3500	3.0	62	173	UL1642
AS321129	3.7	70	3.2	11	29	UL1642
AS351120	3.7	40	3.5	11	20	UL1642
AS351121	3.7	45	3.5	11	21	UL1642
AS352025	3.7	110	3.5	20	25	UL1642
AS352730	3.7	220	3.5	27	30	UL1642
AS356585	3.7	2000	3.5	65	85	UL1642
AS357090	3.7	2800	3.5	70	90	UL1642
AS371042	3.7	105	3.7	10	42	UL1642
AS381018	3.7	40	3.8	10	18	UL1642
AS391520	3.7	90	3.9	15	20	UL1642
AS392265	3.7	510	3.9	22	65	UL1642
AS400830	3.7	60	4.0	8	30	UL1642
AS401020	3.7	55	4.0	10	20	UL1642
AS401030	3.7	80	4.0	10	30	UL1642, IEC62133, UN38.3
AS401119	3.7	50	4.0	11	19	UL1642
AS401120	3.7	60	4.0	11	20	UL1642
AS401230	3.7	120	4.0	12	30	UL1642,IEC62133(CB),KC, BIS, UN38.3
AS401235	3.7	130	4.0	12	35	UN38.3
AS401824	3.7	100	4.0	18	24	KC
AS402525	3.7	200	4.0	25	25	KC, UN38.3
AS403040	3.7	430	4.0	30	40	UL1642
AS405070	3.7	1700	4.0	50	70	UL1642
AS406868	3.7	2200	4.0	68	68	UL1642
AS423040	3.7	530	4.2	30	40	UL1642,UL2054,IEC62133,KC
AS442030	3.7	210	4.4	20	30	UL1642
AS443493	3.7	1500	4.4	34	93	UL1642
AS451268	3.7	280	4.5	12	68	UL1642
AS455060	3.7	1400	4.5	50	60	UL1642
AS461730	3.7	200	4.6	17	30	UL1642,IEC62133(CB),KC, BIS, UN38.3
AS481221	3.7	70	4.8	12	21	UL1642
AS483450	3.7	850	4.8	34	50	UL1642,KC,UN38.3
AS495892	3.7	3000	4.9	58	92	UL1642
AS501235	3.7	160	5.0	12	35	IEC62133(CB),KC, BIS, UN38.3

AS502025	3.7	180	5.0	20	25	UL1642,KC
AS502030	3.7	240	5.0	20	30	UL1642,IEC62133(CB),KC, UN38.3
AS502248	3.7	500	5.0	22	48	UL1642,IEC62133(CB), UN38.3
AS503030	3.7	430	5.0	30	30	UL1642,KC
AS503034	3.7	460	5.0	30	34	UL1642
AS503035	3.7	500	5.0	30	35	UL1642
AS504552	3.7	1200	5.0	45	52	UL1642
AS505771	3.7	2200	5.0	57	71	UL1642
AS523450	3.7	1000	5.2	35	50	UL1642,KC
AS535058	3.7	1600	5.3	50	58	UL1642
AS552035	3.7	350	5.5	20	35	UL1642,UL2054,IEC62133(CB), KC,UN38.3,WERCS
AS552540	3.7	540	5.5	25	40	UL1642
AS553345	3.7	720	5.5	33	45	UL1642
AS553436	3.7	740	5.5	34	36	UL1642
AS553444	3.7	650/950	5.5	34	44	UL1642,KC
AS553640	3.7	850	5.5	36	40	UL1642,UL2054,IEC62133(CB), KC,UN38.3,CQC
AS553759	3.7	1350	5.5	37	59	UL1642
AS556585	3.7	3600	5.5	65	85	UL1642
AS562438	3.7	400	5.6	24	38	UL1642
AS583573	3.7	1500	5.8	35	73	UL1642
AS602030	3.7	300	6.0	20	30	KC
AS602240	3.7	500	6.0	22	40	UL1642,KC
AS602663	3.7	1000	6.0	26	63	UL1642,IEC62133,KC,UN38.3
AS603030	3.7	520	6.0	30	30	UL1642,KC, WERCS
AS603040	3.7	750	6.0	30	40	UL1642,IEC62133,KC, UN38.3,WERCS
AS603048	3.7	900	6.0	30	48	UL1642,KC, UN38.3
AS603245	3.7	720	6.0	32	45	UL1642
AS603450	3.7	1050	6.0	34	50	UL1642,IEC62133, KC,UN38.3
AS603465	3.7	1350	6.0	34	65	UL1642
AS604050	3.7	1100	6.0	40	50	IEC62133(CB),UN38.3
AS606060	3.7	2500/3000	6.0	60	60	UL1642
AS6060115	3.7	5000	6.0	60	115	UL1642
AS624046	3.7	1200	6.2	40	46	UL1642
AS6482148	3.7	3750	6.4	82	148	UL1642
AS652030	3.7	350	6.5	20	30	UL1642,IEC62133(CB),KC, UN38.3
AS652631	3.7	520	6.5	26	31	UL1642
AS682134	3.7	500	6.8	21	34	UL1642
AS701919	3.7	150	7.0	19	19	UL1642
AS702040	3.7	500	7.0	20	40	UL1642,IEC62133(CB),KC,UN38.3,WERCS
AS704060	3.7	1800	7.0	40	60	UL1642
AS705088	3.7	3400	7.0	50	88	UL1642
AS723272	3.7	1700	7.2	32	72	UL1642
AS753048	3.7	1200	7.5	30	48	UL1642,KC
AS755070	3.7	3000	7.5	50	70	UL1642
AS802030	3.7	420	8.0	20	30	UL1642
AS803035	3.7	800	8.0	30	35	UL1642,KC,UN38.3
AS803648	3.7	1200	8.0	36	48	UL1642
AS8051116	3.7	6900	8.0	51	116	UL1642
AS853450	3.7	1500	8.5	34	50	UL1642,IEC62133,KC,UN38.3
AS954674	3.7	4050	9.5	46	74	UL1642
AS962731	3.7	720	9.6	27	31	UL1642