



Strömställare för ställverk

TILLQUIST

Innehållsförteckning:

DFO (Stationsomkopplare)

2-läges - 48x48 mm

FRÅN//TILL
LOKAL//FJÄRR
NÄR//FJÄRR

3-läges - 48x48 mm

NÄR//FJÄRR+NÄR.IND//FJÄRR
NÄR//FJÄRR.NÄR//FJÄRR
RESERV-MANÖVER//NÄR//FJÄRR

Tillbehör

Avställningsenheter

2-läges - 48x48 mm

2 kontakter i läge AVSTÄLLD
3 kontakter i läge AVSTÄLLD
4 kontakter i läge AVSTÄLLD

Tillbehör

Förregling med nyckel

2-läges - 30x30 mm

AVSTÄLLD//DRIFT

2-läges - 48x48 mm

AVSTÄLLD//DRIFT
DRIFT//UPPHÄVD

LK-styrning med fjäderretur

3-läges - 30x30 mm

MINSKA//0//ÖKA
HAND//0//AUTO

MK-ställare

4-läges/tryck/fjäderretur - 30x30 mm

DR8-D/2 (2 kontaktlager)
DR8-D/4 (4 kontaktlager)

Ljusbågsvakt

2-läges - 48x48 mm

FRÅN//TILL
RESERV//DRIFT
AVSTÄLLD//DRIFT

Tillbehör

Lampprov/test

2-läges - 30x30 mm

FRÅN//TILL

2-läges - 48x48 mm

FRÅN//TILL

Tillbehör

Lokallarm/Larmdon

2-läges - 30x30 mm

FRÅN//TILL

2-läges - 48x48 mm

FRÅN//TILL
AVSTÄLLD//DRIFT

Tillbehör

Nollpunksspänning NUS

3-läges - 30x30 mm

JSr//JSr+NUS//NUS

3-läges - 48x48 mm

JSr//JSr+NUS//NUS

Generella tillbehör

30x30 mm

Skylthållare med fri text


48x48 mm

Skylthållare med fri text

DFO (Stationsomkopplare)

2-läges - 48x48 mm

FRÅN//TILL



PACCHI Packets	1	2
MORSETTI Contacts	1 3 5 7	
DICITURE Engravings	2 4 6 8	
FRÅN		
TILL		

Separerad kontakt

PACCHI Packets	1	2
MORSETTI Contacts	1 3 5 7	
DICITURE Engravings	2 6	
FRÅN		
TILL		

Gemensam kontakt

Tillquist Art nr: 506669

Modell: R16 2/4 (4NC.4NO) ”Separerad kontakt”

Tillquist Art nr: 506668

Modell: R16 2/6 (6NC.6NO) ”Separerad kontakt”

Tillquist Art nr: 507320

Modell: R16 2/12 (20NC.4NO) ”Separerad kontakt”

Tillquist Art nr: 507642





Modell: R16 2/10 (10NC.10NO) ”Gemensam kontakt”

Tillquist Art nr: 507679

Modell: R16 2/14 (14NC.14NO) ”Gemensam kontakt”

Tillquist Art nr: 507678



Modell: R16 2/20 (20NC.20NO) ”Gemensam kontakt”



N° PACCHI N° PACKETS	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
X= LUNGH. mm Lenght mm.	51	59	67	75	83	91	99	107	115	123	131	139	147	155	163	171	179	187	195	203

Legend Symbols	
	RITORNO AUTOMATICO Spring return
	CONTATTO CHIUSO Closed contact
	CHIUSO SENZA INTERRUZIONE Closed without current breaking

		PACCHI Packets		1	2	3	4		
POSIZIONI Positions	MORSETTI Contacts	1	3	5	7	9	11	13	15
									
	DICITURE Engravings	2	4	6	8	10	12	14	16
TITLE									
1	FRAN								
2	TILL								




All technical informations contained in this document is the exclusive property of COMETRIC and may neither be used nor disclosed without its consent.




Drawn FR	Sheet 1/3	Approved by - Date FR
Checked FR	Scale 1:1	Rev. N° 0

Escutcheon plate
48-21272

Type: R16 2/4 506669
Code: R601 SE204 027-W006





HANDLE	BLACK
FRONTPLATE	SILVER
HOLDER	BLACK
TEXT	BLACK



N° PACCHI N° PACKETS	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
X= LUNGH. mm Length mm.	51	59	67	75	83	91	99	107	115	123	131	139	147	155	163	171	179	187	195	203

Legend Symbols	
	RITORNO AUTOMATICO Spring return
	CONTATTO CHIUSO Closed contact
	CHIUSO SENZA INTERRUZIONE Closed without current breaking

PACCHI Packets		1	2	3	4	5	6						
POSIZIONI Positions	MORSETTI Contacts	1	3	5	7	9	11	13	15	17	19	21	23
													
	DICITURE Engravings	2	4	6	8	10	12	14	16	18	20	22	24
	TITLE												
1	FRÅN												
2	TILL												





All technical informations contained in this document is the exclusive property of COMETRIC and may neither be used nor disclosed without its consent.

Drawn	Sheet	Approved by - Date
FR	1/3	FR
Checked	Scale	Rev. N°
FR	1:1	0

Escutcheon plate
48-21272



Type:	R16 2/6 506668
Code:	R601 SE206 027-W006



N° PACCHI N° PACKETS	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
X= LUNGH. mm Lenght mm.	51	59	67	75	83	91	99	107	115	123	131	139	147	155	163	171	179	187	195	203

Legend Symbols	
	RITORNO AUTOMATICO Spring return
	CONTATTO CHIUSO Closed contact
	CHIUSO SENZA INTERRUZIONE Closed without current breaking

		PACCHI Packets		1	2	3	4	5	6	7	8	9	10	11	12										
POSIZIONI Positions	MORSETTI Contacts	1	3	5	7	9	11	13	15	17	19	21	23	25	27	29	31	33	35	37	39	41	43	45	47
																									
	DICITURE Engravings	2	4	6	8	10	12	14	16	18	20	22	24	26	28	30	32	34	36	38	40	42	44	46	48
TITLE																									
1	FRÅN																								
2	TILL																								




All technical informations contained in this document is the exclusive property of COMETRIC and may neither be used nor disclosed without its consent.




Drawn FR	Sheet 1/3	Approved by - Date FR
Checked FR	Scale 1:1	Rev. N° A

Escutcheon plate
48-21272T373

Type: R16 2/12 - 507320
Code: R601 SE212 205-W008





W006	
HANDLE	BLACK
FRONTPLATE	SILVER
HOLDER	BLACK
TEXT	BLACK



N° PACCHI N° PACKETS	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
X= LUNGH. mm Lenght mm.	51	59	67	75	83	91	99	107	115	123	131	139	147	155	163	171	179	187	195	203

Legend Symbols	
	RITORNO AUTOMATICO Spring return
	CONTATTO CHIUSO Closed contact
	CHIUSO SENZA INTERRUZIONE Closed without current breaking

		PACCHI Packets																					
POSIZIONI Positions		MORSETTI Contacts	1	3	5	7	9	11	13	15	17	19	21	23	25	27	29	31	33	35	37	39	
																							
		DICITURE Engravings	2	6	10	14	18	22	26	30	34	38											
TITLE																							
1	FRÅN																						
2	TILL																						






All technical informations contained in this document is the exclusive property of COMETRIC and may neither be used nor disclosed without its consent.

Drawn EL	Sheet 1/3	Approved by - Date EL/15/10/19
Checked EL	Scale 1:1	Rev. N° A

Escutcheon plate
48-21272


Type:
Code:

R16 2/10 - 507642
R601 SE210 008-W006




N° PACCHI N° PACKETS	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
X= LUNGHI. mm Lenght mm.	51	59	67	75	83	91	99	107	115	123	131	139	147	155	163	171	179	187	195	203

Legend Symbols		POSIZIONI Positions	PACCHI Packets	1	2	3	4	5	6	7	8	9	10	11	12	13	14																			
	RITORNO AUTOMATICO Spring return		MORSETTI Contacts	1	3	5	7	9	11	13	15	17	19	21	23	25	27	29	31	33	35	37	39	41	43	45	47	49	51	53	55					
	CONTATTO CHIUSO Closed contact			DICTURE Engravings																																
	CHIUSO SENZA INTERRUZIONE Closed without current breaking				2	6	10	14	18	22	26	30	34	38	42	46	50	54																		
			TITILE																																	
		1	FRÂN																																	
		2	TILL																																	



Panel Drilling



All technical informations contained in this document is the exclusive property of COMELETTRIC and may neither be used nor disclosed without its consent.

Drawn
EL

Sheet
1/3

Approved by – Date
EL/15/10/19

Escutcheon plate

48-21272

Checked

Scale	
-------	--


	Rev. N°
--	---------

Type:




Code:

R16 2/14 - 507679

R601 SE214 008-W006





W006	
HANDLE	BLACK
FRONTPLATE	SILVER
HOLDER	BLACK
TEXT	BLACK



N° PACCHI N° PACKETS	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
X= LUNGH. mm Lenght mm.	51	59	67	75	83	91	99	107	115	123	131	139	147	155	163	171	179	187	195	203

Legend Symbols	
	RITORNO AUTOMATICO Spring return
	CONTATTO CHIUSO Closed contact
	CHIUSO SENZA INTERRUZIONE Closed without current breaking

		PACCHI Packets																			
POSIZIONI Positions	MORSETTI Contacts	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
		1 3 5 7 9 11 13 15 17 19 21 23 25 27 29 31 33 35 37 39 41 43 45 47 49 51 53 55 57 59 61 63 65 67 69 71 73 75 77 79																			
	DITTURE Engravings																				
		2 6 10 14 18 22 26 30 34 38 42 46 50 54 58 62 66 70 74 78																			
TITLE																					
1	FRÂN																				
2	TILL																				



All technical informations contained in this document is the exclusive property of COMETRIC and may neither be used nor disclosed without its consent.

Drawn
EL

Sheet
1/3

Approved by - Date
EL/15/10/19

Escutcheon plate
48-21272


Type:
Code:

R16 2/20 - 507678
R601 SE220 008-W006

DFO (Stationsomkopplare)

2-läges - 48x48 mm

LOKAL//FJÄRR



POSIZIONI Positions	PACCHI Packets	1 2			
	MORSETTI Contacts	1	3	5	7
	DICITURE Engravings	2	4	6	8
	TITLE				
1	LOKAL				
2	FJÄRR				

Separerad kontakt

		PACCHI Packets		1		2					
POSIZIONI Positions	MORSETTI Contacts		1		3		5		7		
											
	DICITURE Engravings		2		6						
TITLE											
1		LOKAL									
2		FJÄRR									

Gemensam kontakt

Tillquist Art nr: 506546


Modell: R16 2/6 (6NC.6NO) ”Separerad kontakt”

Tillquist Art nr: 506209




Modell: R16 2/12 (12NC.12NO) ”Gemensam kontakt”

Tillquist Art nr: 507326

Modell: TR16 2/34 (34NC.34NO) ”Gemensam kontakt”





W006	
HANDLE	BLACK
FRONTPLATE	SILVER
HOLDER	BLACK
TEXT	BLACK



N° PACCHI N° PACKETS	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
X= LUNGH. mm Length mm.	51	59	67	75	83	91	99	107	115	123	131	139	147	155	163	171	179	187	195	203

Legend Symbols	
	RITORNO AUTOMATICO Spring return
	CONTATTO CHIUSO Closed contact
	CHIUSO SENZA INTERRUZIONE Closed without current breaking

PACCHI Packets		1	2	3	4	5	6	
POSIZIONI Positions	MORSETTI Contacts	1 3 5 7 9 11 13 15 17 19 21 23						
	DICITURE Engravings	2 4 6 8 10 12 14 16 18 20 22 24						
	TITLE							
1	LOKAL							
2	FJÄRR							






All technical informations contained in this document is the exclusive property of COMELETTRIC and may neither be used nor disclosed without its consent.

Drawn FR	Sheet 1/3	Approved by - Date FR
Checked FR	Scale 1:1	Rev. N° 0



Escutcheon plate
48-21193


Type: R16 2/6 - 506546
Code: R601 SE206 027-W006



												X								
	51	59	67	75	83	91	99	107	115	123	131	139	147	155	163	171	179	187	195	203

Legend Symbols		POSIZIONI Positions	PACCHI Packets	1	2	3	4	5	6	7	8	9	10	11	12												
	RITORNO AUTOMATICO Spring return		MORSETTI Contacts	1	3	5	7	9	11	13	15	17	19	21	23	25	27	29	31	33	35	37	39	41	43	45	47
	CONTATTO CHIUSO Closed contact																										
	CHIUSO SENZA INTERRUZIONE Closed without current breaking			DICITURE Engravings	2	6	10	14	18	22	26	30	34	38	42	46											
			TITLE																								
		1	LOKAL																								
		2	FJÄRR																								






DFO (Stationsomkopplare)

2-läges - 48x48 mm

NÄR//FJÄRR



PACCHI Packets	1	2
MORSETTI Contacts	1 3 5 7	
DICITURE Engravings	2 4 6 8	
NÄR		
FJÄRR		

Separerad kontakt

PACCHI Packets	1	2
MORSETTI Contacts	1 3 5 7	
DICITURE Engravings	2 6	
NÄR		
FJÄRR		

Gemensam kontakt

Tillquist Art nr: 506545





Modell: R16 2/6 (6NC.2NO) ”Separerad kontakt”

Tillquist Art nr: 507328

Modell: R16 2/10 (10NC.2NO) ”Gemensam kontakt”

Tillquist Art nr: 506211



Modell: R16 2/20 (20NC.2NO) ”Gemensam kontakt”



N° PACCHI N° PACKETS	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
X= LUNGH. mm Lenght mm.	51	59	67	75	83	91	99	107	115	123	131	139	147	155	163	171	179	187	195	203

Legend Symbols	
	RITORNO AUTOMATICO Spring return
	CONTATTO CHIUSO Closed contact
	CHIUSO SENZA INTERRUZIONE Closed without current breaking

		PACCHI Packets		1	2	3	4	5	6					
POSIZIONI Positions	MORSETTI Contacts DICITURE Engravings	1	3	5	7	9	11	13	15	17	19	21	23	
														
		2	4	6	8	10	12	14	16	18	20	22	24	
TITLE														
1	NÄR													
2	FJÄRR													



All technical informations contained in this document is the exclusive property of COMETRIC and may neither be used nor disclosed without its consent.

Drawn
FR

Sheet
1/3

Approved by - Date
FR

Checked
FR

Scale
1:1

Rev. N°
0

Escutcheon plate


48-21221

Type:




R16 2/6 - 506545

Code:

R601 SE206 068-W006





W006	
HANDLE	BLACK
FRONTPLATE	SILVER
HOLDER	BLACK
TEXT	BLACK



N° PACCHI N° PACKETS	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
X= LUNGH. mm Lenght mm.	51	59	67	75	83	91	99	107	115	123	131	139	147	155	163	171	179	187	195	203

Legend Symbols		POSIZIONI Positions	PACCHI Packets	1	2	3	4	5	6	7	8	9	10										
	RITORNO AUTOMATICO Spring return		MORSETTI Contacts	1	3	5	7	9	11	13	15	17	19	21	23	25	27	29	31	33	35	37	39
	CONTATTO CHIUSO Closed contact		                     																				



All technical informations contained in this document is the exclusive property of COMETRIC and may neither be used nor disclosed without its consent.

Drawn

EL

Sheet

1/3

Approved by - Date

EL/15/10/19

Escutcheon plate

48-21221

Checked

EL

Scale

1:1

Rev. N°


A

Type:




R16 2/10 - 507328

Code:

R601 SE210 008-W006





W002	
HANDLE	BLACK
FRONTPLATE	BLACK
HOLDER	BLACK
TEXT	WHITE



N° PACCHI N° PACKETS	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
X= LUNGH. mm Length mm.	51	59	67	75	83	91	99	107	115	123	131	139	147	155	163	171	179	187	195	203

Legend Symbols	
	RITORNO AUTOMATICO Spring return
	CONTATTO CHIUSO Closed contact
	CHIUSO SENZA INTERRUZIONE Closed without current breaking

POSIZIONI Positions	PACCHI Packets																			
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
MORSETTI Contacts	1 3 5 7 9 11 13 15 17 19 21 23 25 27 29 31 33 35 37 39 41 43 45 47 49 51 53 55 57 59 61 63 65 67 69 71 73 75 77 79																			
DITTURE Engravings	2 6 10 14 18 22 26 30 34 38 42 46 50 54 58 62 66 70 74 78																			
TITLE																				
1 NÄR																				
2 FJÄRR																				



All technical informations contained in this document is the exclusive property of COMETRIC and may neither be used nor disclosed without its consent.

Drawn EL	Sheet 1/3	Approved by - Date EL/15/10/19
Checked EL	Scale 1:1	Rev. N° A


Escutcheon plate
48-21221

Type: R16 2/20 - 506211
Code: R601 SE220 008-W002

DFO (Stationsomkopplare)

3-läges - 48x48 mm

NÄR // FJÄRR + NÄR IND. // FJÄRR



PACCHI Packets	1			2		
MORSETTI Contacts	1	2	4	5	6	8
DICITURE Engravings	3			7		
NÄR			X			X
FJÄRR+ NÄR IND.	X			X		
FJÄRR		X			X	

Gemensam kontakt

Tillquist Art nr: 507481

Modell: R16 3/4 (4x3NC) "Gemensam kontakt"

Tillquist Art nr: 507464


Modell: R16 3/8 (8x3NC) "Gemensam kontakt"


Tillquist Art nr: 507510


Modell: R16 3/10 (10x3NC) "Gemensam kontakt"




Tillquist Art nr: 507511

Modell: R16 3/16 (16x3NC) "Gemensam kontakt"











N° PACCHI N° PACKETS	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
X= LUNGH. mm Lenght mm.	51	59	67	75	83	91	99	107	115	123	131	139	147	155	163	171	179	187	195	203

Legend Symbols	
	RITORNO AUTOMATICO Spring return
	CONTATTO CHIUSO Closed contact
	CHIUSO SENZA INTERRUZIONE Closed without current breaking

[illegible]

Panel Drilling



All technical informations contained in this document is the exclusive property of COMELETTRIC and may neither be used nor disclosed without its consent.

EL

1:1

A

48-31423T157

Code:	
-------	--


R16 3/16 - 507511

R601 SE316 004-W008

DFO (Stationsomkopplare)

3-läges - 48x48 mm

NÄR // FJÄRR-NÄR // FJÄRR



PACCHI Packets	1			2		
MORSETTI Contacts	1	2	4	5	6	8
DICITURE Engravings	3			7		
NÄR			X			X
FJÄRR/NÄR	X			X		
FJÄRR		X			X	

Gemensam kontakt

Tillquist Art nr: 506635





Modell: R16 3/8 (8x3NC) "Gemensam kontakt"

Tillquist Art nr: 507457

Modell: R16 3/16 (16x3NC) "Gemensam kontakt"


Tillquist Art nr: 507456

Modell: R16 3/10 (10x3NC) "Gemensam kontakt"




N° PACCHI N° PACKETS	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
X= LUNGH. mm Lenght mm.	51	59	67	75	83	91	99	107	115	123	131	139	147	155	163	171	179	187	195	203

Legend Symbols		POSIZIONI Positions	PACCHI Packets	1		2		3		4		5		6		7		8												
	RITORNO AUTOMATICO Spring return		MORSETTI Contacts	1	2	4	5	6	8	9	10	12	13	14	16	17	18	20	21	22	24	25	26	28	29	30	31			
	CONTATTO CHIUSO Closed contact																													
	CHIUSSA SENZA INTERRUZIONE Closed without current breaking		DICITURE Engravings																											
			TITLE																											
		1	NÄR																											
		2	FJÄRR/NÄR																											
		3	FJÄRR																											



Panel Drilling



All technical informations contained in this document is the exclusive property of COMELETTRIC and may neither be used nor disclosed without its consent.

Drawn
FR

Sheet
1/3

Approved by – Date
FR

Escutcheon plate





48-31156T157

Type:

Code:	
-------	--


R16 3/8 506635

R601 SE308 004-W008




N° PACCHI N° PACKETS	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
X= LUNGH. mm Lenght mm.	51	59	67	75	83	91	99	107	115	123	131	139	147	155	163	171	179	187	195	203

Legend Symbols	
	RITORNO AUTOMATICO Spring return
	CONTATTO CHIUSO Closed contact
	CHIUSO SENZA INTERRUZIONE Closed without current breaking

[illegible]

Panel Drilling



All technical informations contained in this document is the exclusive property of COMELETTRIC and may neither be used nor disclosed without its consent.

Drawn

FR

Checked

Sheet

1/3

Scale

Approved by – Date

FR

	Rev. N°
--	---------

Escutcheon plate


48-31156T157

Type:	
-------	--

Code:

R16 3/10 - 507456


R601 SE310 004-W008



DFO (Stationsomkopplare)

3-läges - 48x48 mm

RESERV-MANÖVER // NÄR // FJÄRR



PACCHI Packets	1			2		
MORSETTI Contacts	1	2	4	5	6	8
DICITURE Engravings	3			7		
RESERVMANÖVER			X			X
NÄR	X			X		
FJÄRR		X			X	

Gemensam kontakt

Tillquist Art nr: 506068A





Modell: R16 3/8 (8x3NC) ”Gemensam kontakt”

Tillquist Art nr: 507459


Modell: R16 3/16 (16x3NC) ”Gemensam kontakt”

Tillquist Art nr: 507458


Modell: R16 3/10 (10x3NC) ”Gemensam kontakt”



N° PACCHI N° PACKETS	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
X= LUNGH. mm Lenght mm.	51	59	67	75	83	91	99	107	115	123	131	139	147	155	163	171	179	187	195	203

[illegible]

Panel Drilling



All technical informations contained in this document is the exclusive property of COMELETTRIC and may neither be used nor disclosed without its consent.

Checked
FR

Scale
1:1



Rev. N°	
A	

48-30271T157

Code:	
-------	--

R16 3/8 506068A



R601 SE308 004-W008



N° PACCHI N° PACKETS	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
X= LUNGH. mm Lenght mm.	51	59	67	75	83	91	99	107	115	123	131	139	147	155	163	171	179	187	195	203

Legend Symbols	
	RITORNO AUTOMATICO Spring return
	CONTATTO CHIUSO Closed contact
	CHIUSO SENZA INTERRUZIONE Closed without current breaking

		PACCHI Packets		1		2		3		4		5		6		7		8		9		10															
POSIZIONI Positions	MORSETTI Contacts DICITURE Engravings	1	2	4	5	6	8	9	10	12	13	14	16	17	18	20	21	22	24	25	26	28	29	30	32	33	34	36	37	38	40						
		3			7			11			15			19			23			27			31			35			39								
TITLE																																					
1	RESERVMAN.			X			X			X			X			X			X			X			X			X			X						
2	NÄR	X			X			X			X			X			X			X			X			X			X			X					
3	FJÄRR		X			X			X			X			X			X			X			X			X			X			X				



All technical informations contained in this document is the exclusive property of COMETRIC and may neither be used nor disclosed without its consent.

Drawn
FR

Sheet
1/3

Approved by - Date
FR

Checked
FR

Scale
1:1

Rev. N°
A

Escutcheon plate


48-30271T157

Type:

R16 3/10 507458

Code:

R601 SE310 004-W008



DFO (Stationsomkopplare)

Tillbehör

Tillquist Art nr: 506670
Skylthållare Ink. text: FJÄRRMANÖVER






Tillquist Art nr: 507033
Skylthållare Ink. text: STATIONSOMKOPPLARE

Tillquist Art nr: 507281
Frontskylt Ink. text: NÄR//FJÄRR

Tillquist Art nr: 507135
Skylthållare Ink. text: DRIFTFORMSOMKOPPLARE

Tillquist Art nr: 507453
Frontskylt Ink. text: LOKAL//FJÄRR

Tillquist Art nr: 507327
Frontskylt Ink. text: FRÅN//TILL



FJÄRRMANÖVER







All technical informations contained in this document is the exclusive property of COMELETIC and may neither be used nor disclosed without its consent.


Drawn FR	Sheet 1/1	Approved by – Date FR/18/11/16
Checked FR	Scale 1:1	Rev. N° A

Escutcheon plate

Type:	LEGEND LABEL – 506670
Code:	TL48M–00292



TL48M	
HOLDER	BLACK
FRONTPLATE	SILVER
ENGRAVING	FRONT
MATERIAL	TRAFFOLYTE
TEXT	BLACK



STATIONSOMKOPPLARE



All technical informations contained in this document is the exclusive property of COMELETIC and may neither be used nor disclosed without its consent.

Drawn
FR
Checked
FR

Sheet
1/1
Scale
1:1

Approved by – Date
FR/18/11/16
Rev. N°
A






Escutcheon plate

Type:

LEGEND LABEL – 507033

Code:

TL48M–00200



DRIFTFORMSOMKOPPLARE




All technical Informations contained in this document is the exclusive property of COMELETIC and may neither be used nor disclosed without its consent.

Drawn	Sheet	Approved by - Date
EL	1/1	EL/05/03/2020
Checked	Scale	Rev. N°
EL	1:1	A

Escutcheon plate

Type:	LEGEND LABEL 507135
Code:	TL48M-00157




All technical informations contained in this document is the exclusive property of COMETRIC and may neither be used nor disclosed without its consent.

Drawn	Sheet	Approved by – Date
EL	1/1	EL/06/07/17
Checked	Scale	Rev. N°
EL	1:1	A

Escutcheon plate

Type:	NAMEPLATE – 507453
Code:	1071M–21193



All technical informations contained in this document is the exclusive property of COMOLETRIC and may neither be used nor disclosed without its consent.

Drawn
EL

Sheet
1/1

Approved by – Date
EL/06/07/17

Checked
EL

Scale
1:1

Rev. N°
A


Escutcheon plate

Type:

NAMEPLATE 507281

Code:

1071M–21221



All technical informations contained in this document is the exclusive property of COMETRIC and may neither be used nor disclosed without its consent.

Drawn	Sheet	Approved by - Date
EL	1/1	EL/06/07/17
Checked	Scale	Rev. N°
EL	1:1	A

Escutcheon plate

Type:

NAMEPLATE - 507327


Code:

1071M-21272

Avställningsenheter

2-läges - 48x48 mm

AVSTÄLLD//DRIFT ”2 kontakter i avställt läge”



PACCHI Packets	1	2	3	4
MORSETTI Contacts	1 3 5 7 9 11 13 15			
DICITURE Engravings	2 4 6 8 10 12 14 16			
AVSTÄLLD				
DRIFT				

Tillquist Art nr: 507239
Modell: R16 2/3 (4NC.2NO)

Tillquist Art nr: 507240
Modell: R16 2/4 (6NC.2NO)

Tillquist Art nr: 507241
Modell: R16 2/5 (8NC.2NO)

Tillquist Art nr: 507242
Modell: R16 2/6 (10NC.2NO)

Tillquist Art nr: 507243
Modell: R16 2/7 (12NC.2NO)


Tillquist Art nr: 507244
Modell: R16 2/8 (14NC.2NO)

Tillquist Art nr: 507245
Modell: R16 2/9 (16NC.2NO)




Tillquist Art nr: 507246
Modell: R16 2/11 (20NC.2NO)

Tillquist Art nr: 507247
Modell: R16 2/13 (24NC.2NO)

Tillquist Art nr: 507336
Modell: R16 2/16 (30NC.2NO)





HANDLE	BLACK
FRONTPLATE	SILVER
HOLDER	BLACK
TEXT	BLACK



N° PACCHI N° PACKETS	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
X= LUNGH. mm Lenght mm.	51	59	67	75	83	91	99	107	115	123	131	139	147	155	163	171	179	187	195	203

Legend Symbols		POSIZIONI Positions	PACCHI Packets	1	2	3
	RITORNO AUTOMATICO Spring return		MORSETTI Contacts	1 3 5 7 9 11		
	CONTATTO CHIUSO Closed contact		DICITURE Engravings			
	CHIUSO SENZA INTERRUZIONE Closed without current breaking			2 4 6 8 10 12		
TITLE		1	AVSTÄLLD			
		2	DRIFT			



All technical informations contained in this document is the exclusive property of COMELETTRIC and may neither be used nor disclosed without its consent.

Drawn
FR

Sheet
1/3


Approved by - Date
FR

Escutcheon plate
48-21100




Type:
Code:

R16 2/3 - 507239


R601 SE203 153-W006




HANDLE	BLACK
FRONTPLATE	SILVER
HOLDER	BLACK
TEXT	BLACK



N° PACCHI N° PACKETS	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
X= LUNGH. mm Lenght mm.	51	59	67	75	83	91	99	107	115	123	131	139	147	155	163	171	179	187	195	203



Legend Symbols		POSIZIONI Positions	PACCHI Packets			
			MORSETTI Contacts			
	RITORNO AUTOMATICO Spring return		1	2	3	4
	CONTATTO CHIUSO Closed contact		1 3 5 7 9 11 13 15			
	CHIUSO SENZA INTERRUZIONE Closed without current breaking		2 4 6 8 10 12 14 16			
TITLE						
1		AVSTÄLLD				
2		DRIFT				





All technical informations contained in this document is the exclusive property of COMETRIC and may neither be used nor disclosed without its consent.

Drawn FR	Sheet 1/3	Approved by - Date FR
Checked FR	Scale 1:1	Rev. N° 0

Escutcheon plate
48—




Type:
Code:

R16 2/4 — 507240
R601 SE204 153—W006




HANDLE	BLACK
FRONTPLATE	SILVER
HOLDER	BLACK
TEXT	BLACK

N° PACCHI N° PACKETS	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
X= LUNGH. mm Lenght mm.	51	59	67	75	83	91	99	107	115	123	131	139	147	155	163	171	179	187	195	203



Legend Symbols		POSIZIONI Positions	PACCHI Packets	1	2	3	4	5
	RITORNO AUTOMATICO Spring return		MORSETTI Contacts	1 3 5 7 9 11 13 15 17 19				
	CONTATTO CHIUSO Closed contact							
	CHIUSO SENZA INTERRUZIONE Closed without current breaking		DICITURE Engravings	2 4 6 8 10 12 14 16 18 20				
TITLE								
1		AVSTÄLLD						
2		DRIFT						



All technical informations contained in this document is the exclusive property of COMETRIC and may neither be used nor disclosed without its consent.

Drawn
FR

Sheet
1/3


Approved by - Date
FR

Escutcheon plate
48-21100




Type:
Code:

R16 2/5 - 507241

R601 SE205 153-W006





HANDLE	BLACK
FRONTPLATE	SILVER
HOLDER	BLACK
TEXT	BLACK



N° PACCHI N° PACKETS	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
X= LUNGH. mm Lenght mm.	51	59	67	75	83	91	99	107	115	123	131	139	147	155	163	171	179	187	195	203

Legend Symbols	
	RITORNO AUTOMATICO Spring return
	CONTATTO CHIUSO Closed contact
	CHIUSO SENZA INTERRUZIONE Closed without current breaking

		PACCHI Packets		1	2	3	4	5	6	7	8						
POSIZIONI Positions	MORSETTI Contacts	1	3	5	7	9	11	13	15	17	19	21	23	25	27	29	31
																	
	DICITURE Engravings	2	4	6	8	10	12	14	16	18	20	22	24	26	28	30	32
																	
TITLE																	
1	AVSTÄLLD																
2	DRIFT																



All technical informations contained in this document is the exclusive property of COMETRIC and may neither be used nor disclosed without its consent.

Drawn
FR

Sheet
1/3



Approved by - Date
FR

Escutcheon plate
48-21100



Type:
Code:

R16 2/8 - 507244


R601 SE208 153-W006



HANDLE	BLACK
FRONTPLATE	SILVER
HOLDER	BLACK
TEXT	BLACK




N° PACCHI N° PACKETS	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
X= LUNGH. mm Lenght mm.	51	59	67	75	83	91	99	107	115	123	131	139	147	155	163	171	179	187	195	203



Legend Symbols	
	RITORNO AUTOMATICO Spring return
	CONTATTO CHIUSO Closed contact
	CHIUSO SENZA INTERRUZIONE Closed without current breaking

		PACCHI Packets		1	2	3	4	5	6	7	8	9							
POSIZIONI Positions	MORSETTI Contacts	1	3	5	7	9	11	13	15	17	19	21	23	25	27	29	31	33	
																			
	DICITURE Engravings	2	4	6	8	10	12	14	16	18	20	22	24	26	28	30	32	34	36
TITLE																			
1	AVSTÄLLD																		
2	DRIFT																		

Panel Drilling



All technical informations contained in this document is the exclusive property of COMELETTRIC and may neither be used nor disclosed without its consent.

Drawn
FR

Sheet
1/3



Approved by - Date
FR

Escutcheon plate
48-21100

Type:
Code:



R16 2/9 - 507245

R601 SE209 153-W006






HANDLE	BLACK
FRONTPLATE	SILVER
HOLDER	BLACK
TEXT	BLACK

N° PACCHI N° PACKETS	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
X= LUNGH. mm Length mm.	51	59	67	75	83	91	99	107	115	123	131	139	147	155	163	171	179	187	195	203



Legend Symbols	
	RITORNO AUTOMATICO Spring return
	CONTATTO CHIUSO Closed contact
	CHIUSO SENZA INTERRUZIONE Closed without current breaking

		PACCHI Packets		1	2	3	4	5	6	7	8	9	10	11									
POSIZIONI Positions	MORSETTI Contacts	1	3	5	7	9	11	13	15	17	19	21	23	25	27	29	31	33	35	37	39	41	
																							
	DICITURE Engravings	2	4	6	8	10	12	14	16	18	20	22	24	26	28	30	32	34	36	38	40	42	
TITLE																							
1	AVSTÄLLD																						
2	DRIFT																						



All technical informations contained in this document is the exclusive property of COMETRIC and may neither be used nor disclosed without its consent.

Drawn
FR



Sheet
1/3

Approved by - Date
Rev. N°
0

Escutcheon plate
48-21100



Type:
Code:

R16 2/11 - 507246
R601 SE211 153-W006





HANDLE	BLACK
FRONTPLATE	SILVER
HOLDER	BLACK
TEXT	BLACK

N° PACCHI N° PACKETS	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
X= LUNGH. mm Length mm.	51	59	67	75	83	91	99	107	115	123	131	139	147	155	163	171	179	187	195	203



Legend Symbols	
	RITORNO AUTOMATICO Spring return
	CONTATTO CHIUSO Closed contact
	CHIUSO SENZA INTERRUZIONE Closed without current breaking

		PACCHI Packets		1	2	3	4	5	6	7	8	9	10	11	12	13											
POSIZIONI Positions	MORSETTI Contacts DICITURE Engravings	1	3	5	7	9	11	13	15	17	19	21	23	25	27	29	31	33	35	37	39	41	43	45	47	49	51
		2	4	6	8	10	12	14	16	18	20	22	24	26	28	30	32	34	36	38	40	42	44	46	48	50	5
TITLE																											
1		AVSTÄLLD																									
2		DRIFT																									



All technical informations contained in this document is the exclusive property of COMETRIC and may neither be used nor disclosed without its consent.

Drawn FR	Sheet 1/3	Approved by - Date Rev. N° 0
Checked FR	Scale 1:1	

Escutcheon plate
48-21100


Type:	R16 2/13 - 507247
Code:	R601 SE213 153-W006

R16	2/16	–	507336
R601	SE216	153–	W006

Avställningsenheter

2-läges - 48x48 mm

AVSTÄLLD//DRIFT ”3 kontakter i avställt läge”





PACCHI Packets	1	2	3	4	5
MORSETTI Contacts	1 3 5 7 9 11 13 15 17 19				
DICITURE Engravings	2 4 6 8 10 12 14 16 18 20				
AVSTÄLLD					
DRIFT					



Tillquist Art nr: 507643
Modell: R16 2/5 (7NC.3NO)

Tillquist Art nr: 507644
Modell: R16 2/7 (11NC.3NO)


Tillquist Art nr: 507645
Modell: R16 2/9 (15NC.3NO)



HANDLE	BLACK
FRONTPLATE	SILVER
HOLDER	BLACK
TEXT	BLACK




N° PACCHI N° PACKETS	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
X= LUNGH. mm Lenght mm.	51	59	67	75	83	91	99	107	115	123	131	139	147	155	163	171	179	187	195	203



Legend Symbols	
	RITORNO AUTOMATICO Spring return
	CONTATTO CHIUSO Closed contact
	CHIUSO SENZA INTERRUZIONE Closed without current breaking

PACCHI Packets		1		2		3		4		5	
POSIZIONI Positions	MORSETTI Contacts	1	3	5	7	9	11	13	15	17	19
											
	DICITURE Engravings	2	4	6	8	10	12	14	16	18	20
TITLE											
1	AVSTÄLLD										
2	DRIFT										




All technical informations contained in this document is the exclusive property of COMETRIC and may neither be used nor disclosed without its consent.




Drawn FR	Sheet 1/3	Approved by - Date FR
Checked FR	Scale 1:1	Rev. N° 0

Escutcheon plate
48-21100


Type: R16 2/5 - 507643
Code: R601 SE205 209-W006




HANDLE	BLACK
FRONTPLATE	SILVER
HOLDER	BLACK
TEXT	BLACK




N° PACCHI N° PACKETS	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
X= LUNGH. mm Lenght mm.	51	59	67	75	83	91	99	107	115	123	131	139	147	155	163	171	179	187	195	203



Legend Symbols	
	RITORNO AUTOMATICO Spring return
	CONTATTO CHIUSO Closed contact
	CHIUSO SENZA INTERRUZIONE Closed without current breaking

PACCHI Packets		1	2	3	4	5	6	7																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
POSIZIONI Positions	MORSETTI Contacts	1 3 5 7 9 11 13 15 17 19 21 23 25 27																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
	DICITURE Engravings	2 4 6 8 10 12 14 16 18 20 22 24 26 28																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
	TITLE																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
1	AVSTÄLLD																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								




All technical informations contained in this document is the exclusive property of COMELETTRIC and may neither be used nor disclosed without its consent.

Drawn FR	Sheet 1/3	Approved by - Date FR
Checked FR	Scale 1:1	Rev. N° 0




Escutcheon plate
48-21100

Type:
Code:

R16 2/7 - 507644
R601 SE207 204-W006





HANDLE	BLACK
FRONTPLATE	SILVER
HOLDER	BLACK
TEXT	BLACK



N° PACCHI N° PACKETS	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
X= LUNGH. mm Lenght mm.	51	59	67	75	83	91	99	107	115	123	131	139	147	155	163	171	179	187	195	203

Legend Symbols	
	RITORNO AUTOMATICO Spring return
	CONTATTO CHIUSO Closed contact
	CHIUSO SENZA INTERRUZIONE Closed without current breaking

		PACCHI Packets		1	2	3	4	5	6	7	8	9							
POSIZIONI Positions	MORSETTI Contacts	1	3	5	7	9	11	13	15	17	19	21	23	25	27	29	31	33	35
																			
	DICITURE Engravings	2	4	6	8	10	12	14	16	18	20	22	24	26	28	30	32	34	36
TITLE																			
1	AVSTÄLLD																		
2	DRIFT																		



All technical informations contained in this document is the exclusive property of COMETRIC and may neither be used nor disclosed without its consent.

Drawn FR	Sheet 1/3	Approved by - Date FR
Checked FR	Scale 1:1	Rev. N° 0


Escutcheon plate
48-21100

Type:	R16 2/9 - 507645
Code:	R601 SE209 209-W006


Avställningsenheter

4-läges - 48x48 mm




AVSTÄLLD//DRIFT ”4 kontakter i avställt läge”



Tillquist Art nr: 507558
Modell: R16 2/7 (10NC.4NO)





HANDLE	BLACK
FRONTPLATE	SILVER
HOLDER	BLACK
TEXT	BLACK



N° PACCHI N° PACKETS	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
X= LUNGH. mm Length mm.	51	59	67	75	83	91	99	107	115	123	131	139	147	155	163	171	179	187	195	203

Legend Symbols	
	RITORNO AUTOMATICO Spring return
	CONTATTO CHIUSO Closed contact
	CHIUSO SENZA INTERRUZIONE Closed without current breaking

		PACCHI Packets		1	2	3	4	5	6	7					
POSIZIONI Positions	MORSETTI Contacts	1	3	5	7	9	11	13	15	17	19	21	23	25	27
															
	DICITURE Engravings	2	4	6	8	10	12	14	16	18	20	22	24	26	28
TITLE															
1	AVSTÄLLD														
2	DRIFT														



All technical informations contained in this document is the exclusive property of COMELETTRIC and may neither be used nor disclosed without its consent.

Drawn EL	Sheet 1/3	Approved by - Date EL/25/09/233
Checked EL	Scale 1:1	Rev. N° A

Escutcheon plate
48-21100

Type: R16 2/7 - 507558
Code: R601 SE207 202-W006






Avställningsenheter

Tillbehör

Tillquist Art nr: 506030
Skylthållare för 48x48
Ink. text: "AVSTÄLLNINGSENHET"

Tillquist Art nr: 506312
Skylthållare för 48x48
Ink. text: "UTLÖSNINGSAVSTÄLLARE"





AVSTÄLLNINGSENHET



All technical informations contained in this document is the exclusive property of COMETRIC and may neither be used nor disclosed without its consent.

Drawn FR	Sheet 1/1	Approved by – Date FR/18/11/16
Checked FR	Scale 1:1	Rev. N° A


Escutcheon plate

Type:

LEGEND LABEL SILVER 506030

Code:

TL48M-00224



UTLÖSNINGSÄVSTÄLLARE



All technical informations contained in this document is the exclusive property of COMETRIC and may neither be used nor disclosed without its consent.

Drawn	Sheet	Approved by – Date
EL	1/1	EL/05/03/2020
Checked	Scale	Rev. N°
EL	1:1	A


Escutcheon plate

Type:	LEGEND LABEL 506312
Code:	TL48M–00252

Förregling med nyckel

2-läges - 30x30 mm

AVSTÄLLD//DRIFT




PACCHI Packets	1	2		
MORSETTI Contacts	1 3 5 7			
DICITURE Engravings	2 4 6 8			
AVSTÄLLD	X	X	X	X
DRIFT				




Separerad kontakt

Tillquist Art nr: 507572

Modell: R8 2/2 4 NC ”Separerad kontakt”





G012	
HANDLE	NA
FRONTPLATE	SILVER
HOLDER	BLACK
TEXT	BLACK



N° PACCHI N° PACKETS	1	2	3	4	5	6	7	8	9	10	11	12
X= LUNGH. mm Length mm.	75	88	101	114	127	140	153	166	179	192	205	218

Legend Symbols		POSIZIONI Positions	PACCHI Packets	
	ESTRAZIONE DELLA CHIAVE Key removable in pos.		1 2	
	RITORNO AUTOMATICO Spring return		MORSETTI Contacts	
	CONTATTO CHIUSO Closed contact		1 3 5 7	
	CHIUSO SENZA INTERRUZIONE Closed without current breaking	DICITURE Engravings	2 4 6 8	
	TITLE			
X	1	AVSTÄLLD		
	2	DRIFT		



All technical informations contained in this document is the exclusive property of COMETRIC and may neither be used nor disclosed without its consent.

Drawn
FR

Sheet
1/3

Approved by - Date
FR

Checked
FR

Scale
1:1

Rev. N°
0

Escutcheon plate

30-21100T308

Type:

R8 2/2 KO - 507572


Code:

R802 SE202 154 16-G012

Förregling med nyckel

2-läges - 48x48 mm

AVSTÄLLD//DRIFT




PACCHI Packets	1	2		
MORSETTI Contacts	1 3 5 7			
DICITURE Engravings	2 4 6 8			
AVSTÄLLD	X	X	X	X
DRIFT				

Separerad kontakt




Tillquist Art nr: 507651

Modell: R16 2/6 (11NC.1NO) ”Separerad kontakt”

INGOMBRI/Dimensions





K018	
HANDLE	NA
FRONTPLATE	SILVER
HOLDER	BLACK
TEXT	BLACK



N° PACCHI N° PACKETS	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
X= LUNGH. mm Lenght mm.	83	91	99	107	115	123	131	139	147	155	163	171	179	187	195

Reference Key	
All Equal	X
All Different	
Master Key	
Group Key	

Legend Symbols		POSIZIONI Positions	PACCHI Packets MORSETTI Contacts DICITURE Engravings	1	2	3	4	5	6						
	ESTRAZIONE DELLA CHIAVE Key removable in pos.			1	3	5	7	9	11	13	15	17	19	21	23
	RITORNO AUTOMATICO Spring return														
	CONTATTO CHIUSO Closed contact														
	CHIUSO SENZA INTERRUZIONE Closed without current breaking														
	TITLE														
X	1	AVSTÄLLD													
X	2	I DRIFT													



All technical informations contained in this document is the exclusive property of COMETRIC and may neither be used nor disclosed without its consent.

Drawn
FR

Sheet
1/3

Approved by - Date
FR

Escutcheon plate

48-21405T211

Type:

R16 2/6 KO - 507651


Code:

R602 SE206 209 07-K018

Förregling med nyckel

2-läges - 48x48 mm

DRIFT//UPPHÄVD




PACCHI Packets	1	2	3	4	5
MORSETTI Contacts	1 3 5 7 9 11 13 15 17 19				
DICITURE Engravings	2 6 10 14 18				
DRIFT	X	X	X	X	X
UPPHÄVD	X	X	X	X	X




Gemensam kontakt

Tillquist Art nr: 506150

Modell: R16 2/5, (5NC.5NO) ”Gemensam kontakt”





K018		
HANDLE	NA	
FRONTPLATE	SILVER	
HOLDER	BLACK	
TEXT	BLACK	



N° PACCHI N° PACKETS	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
X= LUNGH. mm Lenght mm.	83	91	99	107	115	123	131	139	147	155	163	171	179	187	195

Reference Key	
All Equal	☒
All Different	☐
Master Key	☐
Group Key	☐

Legend Symbols		POSIZIONI Positions	PACCHI Packets					
	ESTRAZIONE DELLA CHIAVE Key removable in pos.		MORSETTI Contacts					
	RITORNO AUTOMATICO Spring return		1 3 5 7 9 11 13 15 17 19					
	CONTATTO CHIUSO Closed contact		2 6 10 14 18					
	CHIUSO SENZA INTERRUZIONE Closed without current breaking	TITLE	DICTURE Engravings					
X	1		DRIFT					
X	2		UPPHÄVD					



All technical informations contained in this document is the exclusive property of COMETRIC and may neither be used nor disclosed without its consent.

Drawn
FR

Sheet
1/3

Approved by - Date
FR

Escutcheon plate

48-21208T211

Type:

R16 2/5 KO - 506150


Code:

R602 SE205 008 07-K018

LK-styrning med fjäderretur

3-läges - 30x30 mm

MINSKA//0//ÖKA



PACCHI Packets	1		2	
MORSETTI Contacts	1	3	5	7
DICITURE Engravings	2		6	
MINSKA	X		X	
0				
ÖKA		X		X

Tillquist Art nr: 506410


Modell: R8 3/1 MINSKA//"BLANKT"//ÖKA
(1NC.1NO)

Tillquist Art nr: 507220




Modell: R8 3/2 MINSKA//"BLANKT"//ÖKA
(2NC.2NO)

Tillquist Art nr: 507285


Modell: R8 3/2 MINSKA//0//ÖKA (2NC.2NO)



D003	
HANDLE	BLACK
FRONTPLATE	SILVER
HOLDER	BLACK
TEXT	BLACK



N° PACCHI N° PACKETS	1	2	3	4	5	6	7	8	9	10	11	12
X= LUNGH. mm Length mm.	55	68	81	94	107	120	133	146	159	172	185	198




Legend Symbols	
	RITORNO AUTOMATICO Spring return
	CONTATTO CHIUSO Closed contact
	CHIUSO SENZA INTERRUZIONE Closed without current breaking

PACCHI Packets		1
POSIZIONI Positions	MORSETTI Contacts	1 3
	DICITURE Engravings	2
TITLE		
1	MINSKA	
2		
3	ÖKA	

Panel Drilling

F6.001



All technical informations contained in this document is the exclusive property of COMETRIC and may neither be used nor disclosed without its consent.

Drawn
FR

Sheet
1/3

Approved by - Date
FR

Checked
FR

Scale
1:1

Rev. N°
0

Escutcheon plate





30-30312

Type:


R8 3/1 - 506410

Code:

R801 SEM301 003-D003




N° PACCHI N° PACKETS	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
X= LUNGH. mm Lenght mm.	55	68	81	94	107	120	133	146	159	172	185	198	211	224	237



Legend Symbols	
	RITORNO AUTOMATICO Spring return
	CONTATTO CHIUSO Closed contact
	CHIUSO SENZA INTERRUZIONE Closed without current breaking

POSIZIONI Positions	PACCHI Packets	1	2
	MORSETTI Contacts	1 3 5 7	
	DICITURE Engravings	2 6	
TITLE			
1	MINSKA		
2	0		
3	ÖKA		



All technical informations contained in this document is the exclusive property of COMELETTRIC and may neither be used nor disclosed without its consent.

Drawn
FR

Checked
FR

Sheet
1/3

Scale
1:1

Approved by - Date
FR

Rev. N°
0

Escutcheon plate




30-31290

Type:

Code:


R8 3/2 - 507285

R801 SEM302 003-D003




HANDLE	BLACK
FRONTPLATE	SILVER
HOLDER	BLACK
TEXT	BLACK

N° PACCHI N° PACKETS	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
X= LUNGH. mm Length mm.	55	68	81	94	107	120	133	146	159	172	185	198	211	224	237



Legend Symbols	
	RITORNO AUTOMATICO Spring return
	CONTATTO CHIUSO Closed contact
	CHIUSO SENZA INTERRUZIONE Closed without current breaking

POSIZIONI Positions	PACCHI Packets	1	2
	MORSETTI Contacts	1 3 5 7	
	DICITURE Engravings	2 6	
TITLE			
1	MINSKA		
2			
3	ÖKA		



All technical informations contained in this document is the exclusive property of COMETRIC and may neither be used nor disclosed without its consent.

Drawn
FR

Sheet
1/3

Approved by - Date
FR

Escutcheon plate
30-30312


Type:
Code:

R8 3/2 - 507220
R801 SEM302 003-D003

LK-styrning med fjäderretur

3-läges - 30x30 mm

HAND//0//AUTO







POSIZIONI Positions	PACCHI Packets	1	
	MORSETTI Contacts	1	3
	DICITURE Engravings	2	
TITLE			
1	HAND	✗	
2			
3	AUTO		✗

Tillquist Art nr: 506400

Modell: 30x30 mm, R8 3/1 (1NC,1NO)


Tillquist Art nr: 507221

Modell: 30x30 mm, R8 3/2 HAND//0//AUTO (2NC,2NO)



HANDLE	BLACK
FRONTPLATE	SILVER
HOLDER	BLACK
TEXT	BLACK

N° PACCHI N° PACKETS	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
X= LUNGH. mm Lenght mm.	55	68	81	94	107	120	133	146	159	172	185	198	211	224	237




Legend Symbols	
	RITORNO AUTOMATICO Spring return
	CONTATTO CHIUSO Closed contact
	CHIUSO SENZA INTERRUZIONE Closed without current breaking

POSIZIONI Positions	PACCHI Packets	
	MORSETTI Contacts	
	DICITURE Engravings	
TITLE		
1	HAND	
2		
3	AUTO	

Panel Drilling

F6.001



All technical informations contained in this document is the exclusive property of COMETRIC and may neither be used nor disclosed without its consent.

Drawn
FR
Checked
FR





Sheet
1/3
Scale
1:1

Approved by - Date
FR
Rev. N°
0


Escutcheon plate
30-30311

Type:
Code:

R8 3/1 - 506400
R801 SEM301 003-D003




N° PACCHI N° PACKETS	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
X= LUNGH. mm Lenght mm.	55	68	81	94	107	120	133	146	159	172	185	198	211	224	237



Legend Symbols	
	RITORNO AUTOMATICO Spring return
	CONTATTO CHIUSO Closed contact
	CHIUSO SENZA INTERRUZIONE Closed without current breaking

PACCHI Packets		1	2
POSIZIONI Positions	MORSETTI Contacts	1 3 5 7	
	DICITURE Engravings	2 6	
TITLE			
1	HAND		
2	0		
3	AUTO		



All technical informations contained in this document is the exclusive property of COMETRIC and may neither be used nor disclosed without its consent.

Drawn
FR

Sheet
1/3

Approved by - Date
FR

Escutcheon plate
30-31234

Type:
Code:

R8 3/2 - 507221
R801 SEM302 003-D003

MK-ställare (Manöverkvittningsströmställare)


30x30 mm

2 funktionsmanöver med belysning för kontrolltavlor. Styrning av brytare/frånskiljare/jordningskopplare (O-I) fasta lägen

I > Manöver (Tryck in vrid från läge I > Manöver till ändläge, tillbaka med fjäderretur till I)

O > Manöver (Tryck in vrid från läge O > Manöver till ändläge, tillbaka med fjäderretur till läge O)

POSIZIONI Positions	PACCHI Packets	TEST LAMP		1	2
	MORSETTI Contacts	X5+	X1+	1	3
				5	7
	DICITURE Engravings	X2-		2	6
1	I				
2	O				
3	I				
4	I				



Tillquist Art nr: 506080C


Modell: DR8 D/2 (2 kontaktlager med inbyggd lamptest)



Tillquist Art nr: 506082C

Modell: DR8 D/4 (4 kontaktlager med inbyggd lamptest)


Länk till Tillquist hemsida: [Ladda ner beställningsmall, ritningar och produktblad för DR8](#)

[◀ Tillbaka till innehållsförteckningen](#)






LED Volt. DC	LED COLOR
24	WHITE
48	GREEN
110	RED
125	YELLOW
220	BLUE




N° PACCHI N° PACKETS	1	2	3	4	5	6	7	8
X= LUNGH. mm Lenght mm.	126	139	152	165	178	191	204	217

EXTERNAL Jumpers	6
	8



Legend Symbols	
	RITORNO AUTOMATICO Spring return
	CONTATTO CHIUSO Closed contact
	CHIUSO SENZA INTERRUZIONE Closed without current breaking

		PACCHI Packets	TEST LAMP		1		2	
			X5+	X1+	1	3	5	7
POSIZIONI/ Positions		MORSETTI Contacts						
			DICITURE Engravings	X2—	2		6	8
	1	I						
	2	0						
	3	I						
	4	I						





All technical informations contained in this document is the exclusive property of COMETRIC and may neither be used nor disclosed without its consent.


Drawn FR	Sheet 1/3	Approved by - Date FR
Checked FR	Scale 1:1	Rev. N° B

Escutcheon plate
30-40554


Type: DR8 D/2 506080C
Code: DR808 SED02 201-H003




LED Volt.	DC
24	
48	
110	
125	
220	



N° PACCHI N° PACKETS	1	2	3	4	5	6	7	8
X= LUNGH. mm Lenght mm.	126	139	152	165	178	191	204	217



Legend Symbols		POSIZIONI Positions	PACCHI Packets	TEST LAMP	1		2		3		4			
	RITORNO AUTOMATICO Spring return		MORSETTI Contacts	X5+	X1+	2	4	6	8	9	10	13	14	
	CONTATTO CHIUSO Closed contact													
	CHIURO SENZA INTERRUZIONE Closed without current breaking				X2-	3	7	12	11	16	15			
	1		I				X	X	X			X	X	
	2		O				X	X		X				
	3		I					X	X		X			
	4		I					X		X	X		X	



All technical informations contained in this document is the exclusive property of COMELETTRIC and may neither be used nor disclosed without its consent.

Drawn FR	Sheet 1/3	Approved by – Date FR
Checked FR	Scale 1:1	Rev. N° B

Escutcheon plate

30-40554

Type:

DR8 D/4 506082C


Code:

DR808 SED04 002-H003

Ljusbågsvakt





2-läges - 48x48 mm

FRÅN//TILL



PACCHI Packets	1		2		3		4	
MORSETTI Contacts	1	3	5	7	9	11	13	15
DICITURE Engravings	2	4	6	8	10	12	14	16
FRÅN								
TILL								



Tillquist Art nr: 506669
Modell: R16 2/4 (4NC.4NO) ”Separerad kontakt”



N° PACCHI N° PACKETS	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
X= LUNGH. mm Length mm.	51	59	67	75	83	91	99	107	115	123	131	139	147	155	163	171	179	187	195	203

Legend Symbols	
	RITORNO AUTOMATICO Spring return
	CONTATTO CHIUSO Closed contact
	CHIUSO SENZA INTERRUZIONE Closed without current breaking

		PACCHI Packets		1	2	3	4		
POSIZIONI Positions	MORSETTI Contacts DICITURE Engravings	1	3	5	7	9	11	13	15
		2	4	6	8	10	12	14	16
		TITLE							
1	FRAN								
2	TILL								



All technical Informations contained in this document is the exclusive property of COMETRIC and may neither be used nor disclosed without its consent.

Drawn FR	Sheet 1/3	Approved by - Date FR
Checked FR	Scale 1:1	Rev. N° 0


Escutcheon plate
48-21272

Type: R16 2/4 506669
Code: R601 SE204 027-W006

Ljusbågsvakt


2-läges - 48x48 mm

RESERV//DRIFT






PACCHI Packets	1	2	3	4
MORSETTI Contacts	1214	2224	3234	4244
DICITURE Engravings	11	21	31	41
RESERV	X	X	X	X
DRIFT		X	X	X

Tillquist Art nr: 506174
Modell: R16 2/4 (4NC.4NO) ”Gemensam kontakt”




HANDLE	BLACK
FRONTPLATE	SILVER
HOLDER	BLACK
TEXT	BLACK

Engraving code Until
2023-06-07: 21275
RESERVFUNCTION LJUSBÄGSAKT
I DRIFT I DRIFT




N° PACCHI N° PACKETS	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
X= LUNGH. mm Lenght mm.	51	59	67	75	83	91	99	107	115	123	131	139	147	155	163	171	179	187	195	203



Legend Symbols	
	RITORNO AUTOMATICO Spring return
	CONTATTO CHIUSO Closed contact
	CHIUSO SENZA INTERRUZIONE Closed without current breaking

		PACCHI Packets			
POSIZIONI Positions	MORSETTI Contacts	1	2	3	4
		1214222432344244			
	DICITURE Engravings	11	21	31	41
TITLE					
1	RESERV				
2	DRIFT				

B	ENGRAVING CHANGE FROM 48-21275 TO 48-21427	07/06/2023	E.Lucchini
N.	DESCRIZIONE	DATA	APPROVATO



All technical informations contained in
this document is the exclusive property
of COMETRIC and may neither be
used nor disclosed without its consent.

Drawn EL	Sheet 1/3	Approved by - Date EL/25/03/20
Checked EL	Scale 1:1	Rev. N° B


Escutcheon plate
48-21427

Type: R16 2/4 506174
Code: R601 SE204 202-W006

Ljusbågsvakt

2-läges - 48x48 mm


AVSTÄLLD//DRIFT



PACCHI Packets								
MORSETTI Contacts	1	3	5	7	9	11	11	11
DICTURE Engravings								
	2	4	6	8	10	12	12	12
LJUSBÅGSVAKT								
AVSTÄLLD								
DRIFT								

Tillquist Art nr: 507354

Modell: R16 2/4 (4NC.4NO) ”Separerad kontakt”



Ljusbågsvakt






Tillbehör - 30x30 mm

Tillquist Art nr: 507133

Skylthållare Ink. text: LJUSBÅGSVAKT



Tillbaka till innehållsförteckningen



LJUSBÅGSAKT



All technical informations contained in this document is the exclusive property of COMELETTRIC and may neither be used nor disclosed without its consent.

Drawn	Sheet	Approved by - Date
FR	1/1	FR/18/11/16
Checked	Scale	Rev. N°
FR	1:1	A


Escutcheon plate

Type:	LEGEND LABEL 507133
Code:	TL48M-00235

Lampprov/test

2-läges - 30x30 mm





FRÅN//TILL



PACCHI Packets	1		2	
MORSETTI Contacts	1	3	5	7
DICITURE Engravings	2	4	6	8
FRÅN				
TILL				


Tillquist Art nr: 507560

Modell: R8 2/2 (2NC.2NO) ”Separerad kontakt”




HANDLE	BLACK
FRONTPLATE	SILVER
HOLDER	BLACK
TEXT	BLACK

N° PACCHI N° PACKETS	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
X= LUNGH. mm Lenght mm.	55	68	81	94	107	120	133	146	159	172	185	198	211	224	237



Legend Symbols	
	RITORNO AUTOMATICO Spring return
	CONTATTO CHIUSO Closed contact
	CHIUSO SENZA INTERRUZIONE Closed without current breaking

POSIZIONI Positions	PACCHI Packets		1	2
	MORSETTI Contacts		1 3 5 7	
	DICITURE Engravings		2 4 6 8	
	TITLE		1 FRÅN	2 TILL



All technical informations contained in this document is the exclusive property of COMETRIC and may neither be used nor disclosed without its consent.

Drawn EL	Sheet 1/3	Approved by - Date EL/27/09/23
Checked EL	Scale 1:1	Rev. N° A

Escutcheon plate
30-21272


Type:
Code:

R8 2/2 - 507560
R801 SE202 027-D003

Lampprov/test

2-läges - 48x48 mm

FRÅN//TILL







Tillquist Art nr: 506618


Modell: R16 2/3 (3NC.3NO) ”Gemensam kontakt”

Tillquist Art nr: 506173

Modell: R16 2/2 (2NC.2NO) ”Gemensam kontakt”




N° PACCHI N° PACKETS	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
X= LUNGH. mm Lenght mm.	51	59	67	75	83	91	99	107	115	123	131	139	147	155	163	171	179	187	195	203



Legend Symbols	
	RITORNO AUTOMATICO Spring return
	CONTATTO CHIUSO Closed contact
	CHIUSO SENZA INTERRUZIONE Closed without current breaking

PACCHI Packets		1	2	3
POSIZIONI Positions	MORSETTI Contacts	1 3 5 7 9 11		
	DICITURE Engravings			
		2	6	10
TITLE				
1	FRAN			
2	TILL			



All technical informations contained in this document is the exclusive property of COMETRIC and may neither be used nor disclosed without its consent.

Drawn
FR

Sheet
1/3




Approved by - Date
FR

Escutcheon plate
48-21272

Type:
Code:


R16 2/3 - 506618

R601 SE203 008-W006




Legend Symbols	
	RITORNO AUTOMATICO Spring return
	CONTATTO CHIUSO Closed contact
	CHIUSO SENZA INTERRUZIONE Closed without current breaking

		PACCHI Packets	1	2		
POSIZIONI Positions		MORSETTI Contacts	12	14	22	24
						
		DICITURE Engravings	11		21	
TITLE						
1		FRÅN				
2		TILL				



Panel Drilling



All technical informations contained in this document is the exclusive property of COMELETTRIC and may neither be used nor disclosed without its consent.

Drawn	Sheet
EL	1/3
Checked	Scale
EL	1:1

Approved by – Date	EL/25/03/20
Rev. N°	A

Escutcheon plate
48-21272

Type:

R16 2/2 506173

Code:






R601 SE202 202-W006

Lampprov/test

Tillbehör - 30x30mm & 48x48 mm

Tillquist Art nr: 507202
Skylthållare för 30x30 mm Ink. text "LAMPPROV"

Tillquist Art nr: 507032
Skylthållare för 48x48 mm Ink. text "LAMPPROV"



LAMPPROV







All technical informations contained in this document is the exclusive property of COMELETTRIC and may neither be used nor disclosed without its consent.


Drawn	Sheet	Approved by - Date
EL	1/1	EL/01/04/20
Checked	Scale	Rev. N°
EL	1:1	A

Escutcheon plate

Type:	LEGEND LABEL 30X30 507202
Code:	TL30M-00227



TL48M	
HOLDER	BLACK
FRONTPLATE	SILVER
ENGRAVING	FRONT
MATERIAL	TRAFFOLYTE
TEXT	BLACK



LAMPPROV



All technical informations contained in this document is the exclusive property of COMELETTRIC and may neither be used nor disclosed without its consent.

Drawn FR	Sheet 1/1	Approved by – Date FR/18/11/16
Checked FR	Scale 1:1	Rev. N° A

Escutcheon plate

Type:

LEGEND LABEL – 507032


Code:

TL48M–00227

Lokallarm/Larmdon

2-läges - 30x30 mm


FRÅN//TILL






PACCHI Packets	1		2	
MORSETTI Contacts	12	14	22	24
DICITURE Engravings	11	21		
FRÅN	X	X	X	X
TILL		X	X	X

Tillquist Art nr: 507560


Modell: R8 2/2 (2NC.2NO) ”Separerad kontakt”



HANDLE	BLACK
FRONTPLATE	SILVER
HOLDER	BLACK
TEXT	BLACK



N° PACCHI N° PACKETS	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
X= LUNGH. mm Lenght mm.	55	68	81	94	107	120	133	146	159	172	185	198	211	224	237




Legend Symbols	
	RITORNO AUTOMATICO Spring return
	CONTATTO CHIUSO Closed contact
	CHIUSO SENZA INTERRUZIONE Closed without current breaking

POSIZIONI Positions	PACCHI Packets	1	2
	MORSETTI Contacts	1 3 5 7	
	DICITURE Engravings	2 4 6 8	
TITLE			
1	FRÅN		
2	TILL		

Panel Drilling

F6.001



All technical informations contained in this document is the exclusive property of COMETRIC and may neither be used nor disclosed without its consent.

Drawn

EL

Sheet

1/3

Approved by - Date

EL/27/09/23

Escutcheon plate

30-21272

Checked

EL

Scale

1:1

Rev. N°

A

Type:

R8 2/2 - 507560


Code:

R801 SE202 027-D003

Lokallarm/Larmdon

2-läges - 48x48 mm

FRÅN//TILL




PACCHI Packets	1		2	
MORSETTI Contacts	12	14	22	24
DICITURE Engravings	11	21		
FRÅN	X	X	X	X
TILL		X		X

Tillquist Art nr: 506173




Modell: R16 2/4 (2NC,2NO) ”Gemensam kontakt”

Tillquist Art nr: 506618

Modell: R16 2/3 (3NC,3NO) ”Gemensam kontakt”





HANDLE	BLACK
FRONTPLATE	SILVER
HOLDER	BLACK
TEXT	BLACK



N° PACCHI N° PACKETS	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
X= LUNGH. mm Lenght mm.	51	59	67	75	83	91	99	107	115	123	131	139	147	155	163	171	179	187	195	203

Legend Symbols	
	RITORNO AUTOMATICO Spring return
	CONTATTO CHIUSO Closed contact
	CHIUSO SENZA INTERRUZIONE Closed without current breaking

PACCHI Packets		1	2
POSIZIONI Positions	MORSETTI Contacts	12142224	
	DICITURE Engravings	1121	
TITLE			
1	FRÅN		
2	TILL		



All technical informations contained in this document is the exclusive property of COMETRIC and may neither be used nor disclosed without its consent.

Drawn EL	Sheet 1/3	Approved by - Date EL/25/03/20
Checked EL	Scale 1:1	Rev. N° A

Escutcheon plate





48-21272

Type:


R16 2/2 506173

Code:

R601 SE202 202-W006




N° PACCHI N° PACKETS	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
X= LUNGH. mm Length mm.	51	59	67	75	83	91	99	107	115	123	131	139	147	155	163	171	179	187	195	203



Legend Symbols	
	RITORNO AUTOMATICO Spring return
	CONTATTO CHIUSO Closed contact
	CHIUSO SENZA INTERRUZIONE Closed without current breaking

PACCHI Packets		1	2	3
POSIZIONI Positions	MORSETTI Contacts	1 3 5 7 9 11		
	DICITURE Engravings	2 6 10		
TITLE				
1	FRAN			
2	TILL			



All technical informations contained in this document is the exclusive property of COMETRIC and may neither be used nor disclosed without its consent.

Drawn FR	Sheet 1/3	Approved by - Date FR
Checked FR	Scale 1:1	Rev. N° 0

Escutcheon plate
48-21272

Type:

R16 2/3 - 506618


Code:

R601 SE203 008-W006

Lokallarm/Larmdon


2-läges - 48x48 mm

AVSTÄLLD//DRIFT



PACCHI Packets	1	2
MORSETTI Contacts	1 3 5 7	
DICITURE Engravings	2 6	
AVSTÄLLD	X	X
DRIFT	X	X

Tillquist Art nr: 506090
Modell: R16 2/2 (2NC.2NO) ”Gemensam kontakt”



Lokallarm/Larmdon






Tillbehör - 30x30 mm & 48x48 mm

Tillquist Art nr: 507633

Skylthållare för 30x30 mm inklusive skylt ”LOKALLARM”

Tillquist Art nr: 507041

Skylthållare för 48x48 mm inklusive skylt ”LOKALLARM”



LOKALLARM








All technical informations contained in this document is the exclusive property of COMETRIC and may neither be used nor disclosed without its consent.

Drawn EL	Sheet 1/1	Approved by - Date EL/01/04/20
Checked EL	Scale 1:1	Rev. N° A

Escutcheon plate

Type:	LEGEND LABEL 30X30 - 507633
Code:	TL30M-00241



LOKALLARM



All technical informations contained in this document is the exclusive property of COMELETIC and may neither be used nor disclosed without its consent.

Drawn	Sheet	Approved by – Date
EL	1/1	EL/05/03/2020
Checked	Scale	Rev. N°
EL	1:1	A


Escutcheon plate

Type:	LEGEND LABEL 507041
Code:	TL48M-00241

Nollpunktsspänning NUS

3-läges -30x30 mm


JSr//JSr+NUS//NUS





PACCHI Packets	1			2		
MORSETTI Contacts	1	2	4	5	6	8
DICITURE Engravings	3			7		
JSr			X			X
JSr+NUS	X			X		
NUS		X		X		

Tillquist Art nr: 507238


Modell: R16 3/2 (2x3NC) ”Gemensam kontakt”



HANDLE	BLACK
FRONTPLATE	SILVER
HOLDER	BLACK
TEXT	BLACK



N° PACCHI N° PACKETS	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
X= LUNGH. mm Lenght mm.	55	68	81	94	107	120	133	146	159	172	185	198	211	224	237




Legend Symbols	
	RITORNO AUTOMATICO Spring return
	CONTATTO CHIUSO Closed contact
	CHIUSO SENZA INTERRUZIONE Closed without current breaking

PACCHI Packets		1			2		
POSIZIONI Positions	MORSETTI Contacts	1	2	4	5	6	8
	DICITURE Engravings	3			7		
TITLE							
1	JSr			X	X	X	
2	JSr+NUS	X			X		
3	NUS		X			X	

Panel Drilling

F8.001



All technical Informations contained in this document is the exclusive property of COMETRIC and may neither be used nor disclosed without its consent.

Drawn
FR

Sheet
1/3

Approved by - Date
FR

Escutcheon plate
30-30329


Type:
Code:

R8 3/2 - 507238
R801 SE302 004-D003

Nollpunktsspänning NUS

3-läges - 48x48 mm





JSr//JSr+NUS//NUS




PACCHI Packets	1			2		
MORSETTI Contacts	1	2	4	5	6	8
DICITURE Engravings	3			7		
JSr			X			X
JSr+NUS	X			X		
NUS		X		X		



Tillquist Art nr: 507540

Modell: R16 3/2 (2x3NC) ”Gemensam kontakt”



N° PACCHI N° PACKETS	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
X= LUNGH. mm Lenght mm.	51	59	67	75	83	91	99	107	115	123	131	139	147	155	163	171	179	187	195	203

Legend Symbols		POSIZIONI Positions	PACCHI Packets		1			2		
	RITORNO AUTOMATICO Spring return		MORSETTI Contacts		1	2	4	5	6	8
	CONTATTO CHIUSO Closed contact									
	CHIUSO SENZA INTERRUZIONE Closed without current breaking									
TITLE										
1 JSr										
2 JSr+NUS										
3 NUS										



All technical informations contained in this document is the exclusive property of COMETRIC and may neither be used nor disclosed without its consent.

Drawn
FR

Sheet
1/3

Approved by - Date
FR

Escutcheon plate
48-31460

Type:
Code:

R16 3/2 - 507540


R601 SE302 004-W006

Generella tillbehör

30x30 mm

Tillquist Art nr: 506614

Skylthållare för 30x30 mm med ”FRI TEXT”



All technical informations contained in this document is the exclusive property of COMETRIC and may neither be used nor disclosed without its consent.

Drawn
FR
Checked
FR

Sheet
1/1
Scale
1:1

Approved by – Date
FR/18/11/16
Rev. N°
A

Escutcheon plate

Type:

LEGEND LABEL 30X30 – 506614

Code:

TL30M–00000

Generella tillbehör


48x48 mm

Tillquist Art nr: 506638

Skylthållare för 48x48 mm med ”FRI TEXT”



Tillbaka till innehållsförteckningen



All technical informations contained in this document is the exclusive property of COMELETTRIC and may neither be used nor disclosed without its consent.

Drawn LR	Sheet 1/1	Approved by – Date LR/05/03/2020
Checked LR	Scale 1:1	Rev. N° A

Escutcheon plate

Type:	LEGEND LABEL SILVER 506638
Code:	TL48M-00000